



GREEN
FLOORMAXTM
WOOD FLOORS



From the house of

Industries Limited

LUXURY NEVER LOOKED*this*..... COZY

INTRODUCING GREENPLY'S GREEN FLOORMAX WOOD FLOORS

UNTIE YOUR SHOES.

SLIP OUT OF THOSE SOCKS. FLEX YOUR BARE TOES AND TAKE A STEP IN.

WELCOME TO THE GREEN FLOORMAX HOME.

AS YOUR EYES TAKE IN THE RICH ELEGANCE OF OUR WOOD FLOORS,

YOUR FEET WILL SENSE A MYRIAD OF UNIQUE TEXTURES.

FLOORS ARE AT THE HEART OF ALL HOMES. OUR CAREFULLY CRAFTED
GREEN FLOORMAX WOOD FLOORS ENSURE THAT THIS HEART IS ALWAYS WARM,
INVITING AND INSPIRING. THE FLOORING DOESN'T MERELY DECORATE BUT
ENRICHES EVERYDAY LIVING WITH TIMELESS BEAUTY.

AS YOU TURN THE PAGES OF OUR CATALOGUE, YOU'LL NOTICE HOW

ART AND FUNCTION BLEND IN EACH PATTERN.

GO AHEAD, BASK IN THE GLOW OF NATURE. THE CLASSIC OAK,
AUTUMN WALNUT, HIMALAYAN MERBAU, SILVER STREAKS AND MANY MORE
FROM THE GREAT OUTDOORS WILL NOW BE A PART OF YOUR HOME.

.....



GREEN
FLOORMAX[™]
WOOD FLOORS





index

WHY
GREEN FLOORMAX
IS THE BEST CHOICE
FOR YOU? 5

HOW TO CHOOSE
THE RIGHT FLOOR
IN THREE
EASY STEPS 9

ALLOVER
DESIGNS

SILVER SAVANNAH	FL001	13
TOPAZ OAK	FL002	15
TIMBER TRAIL	FL003	17
CLASSIC OAK	FL004	19
KALAHARI OAK	FL005	21
VINTAGE OAK	FL006	23
LUSCIOUS NOUGAT	FL007	25
WINEWOOD OAK	FL008	27
COUNTRY OAK	FL009	29
AUTUMN WALNUT	FL010	31
HIMALAYAN MERBAU	FL011	33
SILVER STREAKS	FL012	35
EARTHERN APPLE	FL013	37
AMAZON WALNUT	FL014	39
CHOCOLATE CARAMEL	FL015	41
VERMILLION FIRE	FL016	43
TROPICAL WALNUT	FL017	45
SERENE SEPIA	FL018	47
SUNDERBAN WENGE	FL019	49
EARTHERN CHERRY	FL020	51
AFRICAN IVORY	FL021	53
PLUSH WALNUT	FL022	55
RUSSIAN RIPPLES	FL023	57
SHERWOOD DOZUKI	FL024	59

PLANKED DESIGNS	CHERRY BRÛLÉE	FLP502	63	KNOW GREEN FLOORMAX WOOD FLOORS BETTER 91	HOW TO MAINTAIN YOUR WOOD FLOORS 92	THE BEST ACCESSORIES TO GO WITH 93	ACCESSORY DESIGNS 95	AR 101	RECOMMENDED ACCESSORY DESIGNS 98
	SERENGETI SHADOW	FLP503	65					AR 102	
	TAVERN TRAILS	FLP504	67					AR 103	
	ANTIQUE CADBURY	FLP505	69					AR 104	
	SEPIA TEAK	FLP506	71					AR 105	
	MYSTIQUE OAK	FLP507	73					AR 106	
	SAHARA GOLD	FLP508	75					AR 107	
	NOVA NOCE	FLP509	77					AR 108	
	CRESCENT MOONLIGHT	FLP510	79					AR 109	
	CROWNING MAPLE	FLP511	81					AR 110	
	COFFEE GLORY	FLP512	83					AR 111	
	DESERT SUN	FLP513	85					AR 112	
	CITRUS CEDAR	FLP514	87					AR 113	
	BROWNY WALNUT	FLP515	89						

----- WHY GREEN FLOORMAX -----

is the best choice FOR YOU?

GREEN FLOORMAX COMES WITH A WARM WOODEN FINISH THAT EXTENDS AN INVITING LOOK TO YOUR HOME.

THE NATURAL WOOD DESIGN OF THE FLOOR EFFORTLESSLY CREATES AN EXOTIC, YET COMFY AIR.

WHAT'S MORE, THE SPECIALLY ENGINEERED SURFACE PROTECTION TECHNOLOGY OF GREEN FLOORMAX MAKES IT

SUPER STURDY, DURABLE AND RESISTANT TO SCRATCHES, STAINS AND WATER SPILLS. IN OTHER WORDS,

NO MORE FRETTERING OVER CHILD AND PET MESSSES.

INSTALLING GREEN FLOORMAX WOOD FLOORS IS A BREEZE TOO! YOU'LL BE SURPRISED AT HOW QUICKLY AND EASILY

THE WHOLE FLOOR IS LAID OUT. THE GREAT THING IS THAT YOU CAN MOVE AN ENTIRE FLOOR FROM ONE ROOM

TO ANOTHER IN NO TIME, WHENEVER YOU FANCY A CHANGE IN LOOK.

STILL ON THE FENCE?

HERE'S A COMPREHENSIVE LIST OF REASONS WHY YOU SHOULD SWITCH TO

GREEN FLOORMAX WOOD FLOORS.

.....

UNMATCHED ELEGANCE

.....

IF YOU'RE LOOKING FOR SOMETHING CONTEMPORARY YET COZY, GREEN FLOORMAX WOOD FLOORS

SHOULD BE YOUR PICK.

THE WIDE VARIETY OF COLOURS AND TEXTURES IN THE OFFING CAN CREATE AN AMBIENCE LIKE NO OTHER.

OUR SURFACE DESIGNS HAVE BEEN HAND-PICKED IN COLLABORATION WITH RENOWNED DESIGNERS

FROM EUROPE AND CRAFTED WITH A PASSION THAT REFLECTS IN THE UNIQUE CHARACTER OF

GREEN FLOORMAX WOOD FLOORS.

TECHNICALLY SUPERIOR

LICENCED INTERLOCKING SYSTEM



THE PERMACLICK[™] SYSTEM IN GREEN FLOORMAX HAS BEEN DEVELOPED ESPECIALLY FOR GREENPLY BY FLOORING INDUSTRIES, LUXEMBOURG. THEIR YEARS OF RESEARCH COMBINED WITH GREENPLY'S EXTENSIVE KNOWLEDGE OF THE USAGE CONDITIONS SPECIFIC TO INDIA, HAS MADE PERMACLICK[™] ONE OF THE MOST ADVANCED FLOORING INTERLOCKING SYSTEM AVAILABLE IN THE COUNTRY. THIS SYSTEM GIVES GREEN FLOORMAX AN UNMATCHED QUALITY AND FINISH. WHAT'S MORE IT MAKES THE INSTALLATION PROCESS VERY EASY.

GREENPLY IS A LICENCEE OF FLOORING INDUSTRIES, LUXEMBOURG AND THE FIRST AND ONLY INDIAN MANUFACTURER WITH A LICENCED INTERLOCKING SYSTEM. ALL GREEN FLOORMAX PRODUCTS COMPLY WITH WORLDWIDE INTELLECTUAL PROPERTY AND PATENT STATUTORY REQUIREMENTS. TO ENSURE THE AUTHENTICITY OF A LICENCED PRODUCT, EACH BOX OF GREEN FLOORMAX COMES WITH A TAMPER PROOF L2C HOLOGRAPHIC LABEL ISSUED DIRECTLY BY FLOORING INDUSTRIES, LUXEMBOURG*. TO READ MORE ABOUT THE IMPORTANCE AND BENEFITS OF A LICENCED INTERLOCKING SYSTEM, PLEASE VISIT THE WEBPAGE OF FLOORING INDUSTRIES, LUXEMBOURG AT WWW.UNILINTECHNOLOGIES.COM.

*FOR FURTHER DETAILS VISIT WWW.L2CLABELS.COM

SCRATCH RESISTANT



GREEN FLOORMAX WOOD FLOORS COME WITH MAX SHIELD – A UNIQUE SCRATCH RESISTANT PROTECTION TECHNOLOGY THAT SHIELDS IT AGAINST WEAR AND TEAR.


THIS SPECIALLY-ENGINEERED SURFACE COATING MAKES WOOD FLOORS MANIFOLD STRONGER AND RESISTANT TO SURFACE SCRATCHES.

SOUND ABSORBENT




GREEN FLOORMAX IS ENGINEERED WITH SONIC SPONGE – AN ADVANCED TECHNOLOGY THAT ALLOWS THE SOUND ABSORBENT BACKING LAYER TO REDUCE SOUND TRANSMISSION AND PRODUCE ONLY A SOLID AND PLEASANT SOUND UNDERFOOT.

100% HARDWOOD BASE CORE



THE HIGH DENSITY FIBREBOARD AT THE CORE OF GREEN FLOORMAX WOOD FLOORS MAKES THEM STURDIER AND MORE DURABLE THAN ANY OTHER FLOORING ALTERNATIVE. MORE SO, GREENPLY MANUFACTURES THE HIGHEST QUALITY FIBREBOARD IN HOUSE AT THE SAME MANUFACTURING LOCATION AS THE REST OF THE FLOORING COMPONENTS, ENSURING VERY STRINGENT QUALITY PARAMETERS FOR THE BASE CORE.

HYGIENIC AND EASY TO MAINTAIN



OUR SURFACE PROTECTION TECHNOLOGY ENSURES DIRT DOESN'T CLING TO YOUR FLOOR WHILE OUR PRECISE INTERLOCKING SYSTEM PERMACLICK[™] BINDS THE PLANKS PERFECTLY, ALLOWING ABSOLUTELY NO ROOM FOR DUST TO ACCUMULATE.

PERMAClick™ - THE MOST SUPERIOR CLICK LOCK SYSTEM

UNLIKE MANY WOOD FLOORS, GREEN FLOORMAX WOOD FLOORS DO NOT HAVE BEVELED EDGES OR A V-GROOVE, RATHER A 90-DEGREE EDGE BETWEEN TWO PLANKS.




DUE TO IMPERFECTIONS IN THE MANUFACTURING PROCESS OF UNLICENCED INTERLOCKING SYSTEMS MADE BY OTHER MANUFACTURERS, TWO ADJOINING WOOD PLANKS DO NOT SIT LEVEL BUT ARE AT DIFFERENT HEIGHTS.

THIS RESULTS IN THE EDGE OF ONE PLANK BEING HIGHER THAN THAT OF ITS ADJOINING PLANK (FIG. 1).

IN SUCH A SITUATION, A 90-DEGREE ANGLE RESULTS IN A VERY SHARP EDGE, CREATING A RISK OF INJURY WHEN WALKING BAREFOOT OR A RISK OF TRIPPING. TO OVERCOME THIS IMPERFECTION OF THE PROFILE, THE EDGES ARE BEVELED OR SHAPED IN A V-GROOVE TO PROVIDE A GENTLER ANGLE BETWEEN THE PLANKS (FIG. 3).



THE PROCESS OF BEVELING OR V-GROOVING INVOLVES TRIMMING OF EACH 90-DEGREE EDGE, RESULTING IN THE REMOVAL OF THE HIGH-ABRASIVE RESISTANT LAYER AND THE DECORATIVE DESIGN LAYER WHICH EXPOSES THE INNER HDF CORE OF THE FLOORING (FIG. 3). SINCE THE PROTECTIVE LAYERS GET REMOVED, THIS MAKES THE HDF CORE HIGHLY SUSCEPTIBLE TO WATER INGRESS AS WELL AS ACCUMULATION OF DIRT.



DUE TO THE UNIQUE PERMAClick™ INTERLOCKING SYSTEM OF GREEN FLOORMAX WOOD FLOORS, THE EDGES ARE ALWAYS LEVEL. THERE ARE NO SURFACE IMPERFECTIONS OR EDGES STICKING OUT. THIS MEANS GREEN FLOORMAX WOOD FLOORS HAVE 90-DEGREE EDGES THAT ARE SAFE, LOCKED TOGETHER WITH NO PORTION OF INNER HDF CORE EXPOSED. AS A RESULT, THE FLOOR IS HIGHLY RESISTANT TO WATER INGRESS AND DUST ACCUMULATION.

GREEN FLOORMAX WOOD FLOORS HAVE A UNIQUE ANGLE SNAP METHOD OF LAYOUT THAT FITS THE PLANKS TOGETHER AT A 90-DEGREE ANGLE FOR A PERFECT SEAMLESS FINISH. THE TENSILE STRENGTH OF THE CLICK SYSTEM SEALS OFF THE FLOOR WITH AN AIRTIGHT FINISH THAT DOESN'T LET LIQUID SEEP IN AND PROVIDES SUPERIOR PROTECTION AGAINST MOISTURE. AS A RESULT, OUR FLOORS ARE MORE DURABLE WITH MINIMAL WEAR AND TEAR.



.....
CONVENIENT
.....

EASY TO INSTALL

THANKS TO OUR PERMACLICK[™] SYSTEM, INSTALLATION CAN BE COMPLETED IN NO TIME.
JUST SNAP THE PLANKS TOGETHER AND IT'S DONE.

SEAMLESS LAYOUT

OUR LINKING TECHNOLOGY LEAVES NO ANNOYING GAPS OR CREVICES, LEAVING YOU WITH A LEVEL,
BEAUTIFUL-LOOKING FLOOR. THERE JUST WON'T BE ANYPLACE FOR DIRT AND DUST TO ACCUMULATE.

ANTI-WARP

SINCE THE TOP LAYER ON GREEN FLOORMAX WOOD FLOORS IS RESISTANT TO HEAT AND
TEMPERATURE CHANGES, THERE WON'T BE ANY UNCHARACTERISTIC BENDING OR TWISTING OF THE
WOODEN PLANKS. YOUR FLOOR WILL ALWAYS STAY SOLID AND LEVEL.

EASILY REMOVABLE/CHANGEABLE/REINSTALLABLE

SWITCHING FLOORS JUST INVOLVES REMOVING THE PLANKS AND INSTALLING THEM ELSEWHERE.
CARRY YOUR FLOORS WITH YOU ANYTIME, ANYWHERE.

PLUS

.....
COMMERCIAL APPLICATION
.....

GREEN FLOORMAX PLUS, THE AC4 GRADE WOOD FLOOR RANGE, IS HIGH ABRASION RESISTANT WITH A
THICKER SURFACE PROTECTION LAYER. IT IS AN IDEAL CHOICE FOR COMMERCIAL SPACES LIKE OFFICES, RETAIL
STORES AND HOTELS. THE GREAT THING IS THAT THESE FLOORS DON'T REQUIRE A LONG AND TEDIOUS
PROCESS OF INSTALLATION UNLIKE TRADITIONAL MATERIALS LIKE MARBLE AND TILE. THEY ALSO WORK OUT
TO BE MORE COST-EFFECTIVE.

WHAT'S MORE, THESE WOOD FLOORS CAN BE LAID OVER NEARLY EVERY SUBFLOOR
(BE IT CONCRETE, STONE, VINYL OR CERAMIC) AS LONG AS IT IS LEVEL, CLEAN, AND DRY.

OH AND IF YOU'RE PLANNING TO SHIFT SHOP,
YOU CAN ALWAYS REMOVE THE PLANKS AND TAKE THE FLOOR WITH YOU.

-----HOW TO CHOOSE----- *the right floor* IN THREE EASY STEPS -----

SELECTING A DESIGN MAY SEEM OVERWHELMING, BUT IT DOESN'T HAVE TO BE.
WOOD FLOORS CAN BE EASILY PICKED TO COMPLIMENT YOUR INTERIOR DÉCOR. AN EARTHY,
RUGGED WOOD DESIGN WILL BRING YOUR SPACE CLOSER TO NATURE WHILE SMOOTHER, LIGHTER
AND SOFTER GRAINS WILL LEND A SUBTLE ELEGANCE THAT'S CHIC AND URBANE.
CHOOSING A LIGHTER WOOD COLOUR WILL MAKE A CONFINED SPACE LOOK LARGER AND MORE OPEN
WHILE DARKER SHADES WILL MAKE A LARGE ROOM APPEAR COZY AND INTIMATE.
ALSO DO CONSIDER THE TONES OF YOUR FURNITURE AND WALLS FOR MAKING A PERFECT
COMPLIMENTARY CHOICE AND ACHIEVING THE RIGHT BALANCE IN YOUR INTERIOR DÉCOR.
GREEN FLOORMAX OFFERS YOU AN ARRAY OF DESIGNS IN AUTHENTIC, RICH WOOD SPECIES
AND TEXTURES THAT ACCENTUATE THE NATURAL LOOK OF WOOD GRAINS,
LENDING INCOMPARABLE WARMTH TO YOUR HOME.

HERE'S A BASIC GUIDE ON WHAT TO KEEP IN MIND WHILE SELECTING YOUR WOOD FLOOR

1

CHOOSE YOUR DESIGN

ALLOVER DESIGN

A DISTINCT COLLECTION OF WOOD DESIGNS THAT HAS THE LOOK AND FEEL OF EXOTIC WOOD GRAINS IN EVERY SINGLE TILE FORMAT. THIS FLOORING STYLE LEAVES YOU WITH A SEAMLESS AND NATURAL LOOK OF WOOD.

PLANKED DESIGNS

THIS PATTERN HAS A MORE HANDCRAFTED APPEAL. EACH WOODEN TILE IS PUT TOGETHER IN AN ARRAY OF 2-3 SLIM TILES INTERSPERSED WITH GRAINS AND CROWN, CREATING A RICH AND INTRICATE CANVAS OF NATURAL WOODS.

2

CHOOSE YOUR TEXTURE

OPEN GRAIN

STRAIGHT LINE EFFECT

CROWN

CURVY DYNAMIC EFFECT

*PLEASE REFER TO THE SAMPLES ON THE LAST PAGE

3

CHOOSE YOUR GRADE

AC3 - RECOMMENDED FOR RESIDENTIAL AND LOW FOOTFALL AREAS.

AC4 - RECOMMENDED FOR COMMERCIAL AND OFFICE SPACES OR HIGH TRAFFIC AREAS
LIKE RETAIL OUTLETS AND MALLS.



1

.....
**ALLOVER
DESIGNS**
.....

A DISTINCT COLLECTION OF
WOOD DESIGNS THAT COME WITH THE LOOK
AND FEEL OF EXOTIC WOOD GRAINS
IN EVERY SINGLE TILE FORMAT.
THIS FLOORING STYLE LEAVES YOU
WITH AN OPEN AND
UNFETTERED LOOK OF WOOD LOG.





ACTUAL WIDTH


SILVER SAVANNAH



DESIGN CODE: FL001

RECOMMENDED ACCESSORY CODE:
AR106

PLANK LAYOUT





ACTUAL WIDTH


TOPAZ OAK



DESIGN CODE: FL002

RECOMMENDED ACCESSORY CODE:
AR112

PLANK LAYOUT



ACTUAL WIDTH

TIMBER TRAIL




DESIGN CODE: FL003

RECOMMENDED ACCESSORY CODE:
AR103



PLANK LAYOUT





ACTUAL WIDTH

CLASSIC
OAK



DESIGN CODE: FL004

RECOMMENDED ACCESSORY CODE:
AR101



PLANK LAYOUT





ACTUAL WIDTH


KALAHARI OAK



DESIGN CODE: FL005

RECOMMENDED ACCESSORY CODE:
AR101

PLANK LAYOUT





ACTUAL WIDTH

VINTAGE OAK


•••••

DESIGN CODE: FLO06

RECOMMENDED ACCESSORY CODE:
AR104



PLANK LAYOUT





GREEN
FLOORMAX[™]
WOOD FLOORS



ACTUAL WIDTH


LUSCIOUS
NOUGAT



DESIGN CODE: FL007

RECOMMENDED ACCESSORY CODE:
AR104

PLANK LAYOUT



ACTUAL WIDTH

WINEWOOD OAK




DESIGN CODE: FL008

RECOMMENDED ACCESSORY CODE:
AR105



PLANK LAYOUT





ACTUAL WIDTH

COUNTRY OAK



DESIGN CODE: FLO09

RECOMMENDED ACCESSORY CODE:
AR104



PLANK LAYOUT





GREEN
FLOORMAX[™]
WOOD FLOORS



--- ACTUAL WIDTH ---

**AUTUMN
WALNUT**


.....

DESIGN CODE: FL010

RECOMMENDED ACCESSORY CODE:
AR108



PLANK LAYOUT





GREEN
FLOORMAX[™]
WOOD FLOORS



ACTUAL WIDTH


HIMALAYAN MERBAU



DESIGN CODE: FL011

RECOMMENDED ACCESSORY CODE:
AR107

PLANK LAYOUT





ACTUAL WIDTH


SILVER STREAKS



DESIGN CODE: FL012

RECOMMENDED ACCESSORY CODE:
AR104

PLANK LAYOUT





GREEN
FLOORMAX[™]
WOOD FLOORS



ACTUAL WIDTH

EARTHERN
APPLE


.....

DESIGN CODE: FL013

RECOMMENDED ACCESSORY CODE:
AR103



PLANK LAYOUT





ACTUAL WIDTH

AMAZON WALNUT




DESIGN CODE: FL014

RECOMMENDED ACCESSORY CODE:
AR102



PLANK LAYOUT





ACTUAL WIDTH

CHOCOLATE CARAMEL


•••••

DESIGN CODE: FL015

RECOMMENDED ACCESSORY CODE:
AR108



PLANK LAYOUT



- ACTUAL WIDTH -

VERMILLION FIRE




DESIGN CODE: FL016

RECOMMENDED ACCESSORY CODE:
AR103



PLANK LAYOUT





ACTUAL WIDTH


TROPICAL WALNUT



DESIGN CODE: FL017

RECOMMENDED ACCESSORY CODE:
AR103

PLANK LAYOUT





ACTUAL WIDTH


SERENE SEPIA



DESIGN CODE: FL018

RECOMMENDED ACCESSORY CODE:
AR105

PLANK LAYOUT





ACTUAL WIDTH

**SUNDERBAN
WENGÉ**



DESIGN CODE: FL019

RECOMMENDED ACCESSORY CODE:
AR102

PLANK LAYOUT





ACTUAL WIDTH


EARTHEN
CHERRY



DESIGN CODE: FL020

RECOMMENDED ACCESSORY CODE:
AR113

PLANK LAYOUT





ACTUAL WIDTH


AFRICAN IVORY

•••••

DESIGN CODE: FL021

RECOMMENDED ACCESSORY CODE:
AR104

PLANK LAYOUT





ACTUAL WIDTH


**PLUSH
WALNUT**



DESIGN CODE: FL022

RECOMMENDED ACCESSORY CODE:
AR103

PLANK LAYOUT





ACTUAL WIDTH


RUSSIAN RIPPLES

•••••

DESIGN CODE: FL023

RECOMMENDED ACCESSORY CODE:
AR101

PLANK LAYOUT



ACTUAL WIDTH

SHERWOOD DOZUKI


•••••

DESIGN CODE: FL024

RECOMMENDED ACCESSORY CODE:
AR103



PLANK LAYOUT





2

.....
**PLANKED
DESIGNS**
.....

A UNIQUE FLOORING COLLECTION

WITH A HANDCRAFTED APPEAL.

EACH WOODEN TILE IS PUT TOGETHER

IN AN ARRAY OF 2-3 SLIM TILES,

INTERSPERSED WITH GRAINS AND CROWN,

CREATING A RICH AND INTRICATE CANVAS

OF NATURAL WOODS.



ACTUAL WIDTH


CHERRY BRÛLÉE



DESIGN CODE: FLP502

RECOMMENDED ACCESSORY CODE:
AR110

PLANK LAYOUT



- ACTUAL WIDTH -

SERENGETI SHADOW


•••••

DESIGN CODE: FLP503

RECOMMENDED ACCESSORY CODE:
AR107



PLANK LAYOUT





GREEN
FLOORMAX[™]
WOOD FLOORS

ACTUAL WIDTH

TAVERN TRAILS


•••••

DESIGN CODE: FLP504

RECOMMENDED ACCESSORY CODE:
AR101



PLANK LAYOUT





GREEN
FLOORMAX[™]
WOOD FLOORS



ACTUAL WIDTH

ANTIQUE
CADBURY


•••••

DESIGN CODE: FLP505

RECOMMENDED ACCESSORY CODE:
AR103



PLANK LAYOUT





GREEN
FLOORMAX[™]
WOOD FLOORS




— ACTUAL WIDTH —

SEPIA
TEAK
●●●●●

DESIGN CODE: FLP506

RECOMMENDED ACCESSORY CODE:
AR107

PLANK LAYOUT





ACTUAL WIDTH


**MYSTIQUE
OAK**



DESIGN CODE: FLP507

RECOMMENDED ACCESSORY CODE:
AR106

PLANK LAYOUT





GREEN
FLOORMAX[™]
WOOD FLOORS

DESIGN LAYOUT

ACTUAL WIDTH

SAHARA GOLD


•••••

DESIGN CODE: FLP508

RECOMMENDED ACCESSORY CODE:
AR105



PLANK LAYOUT



ACTUAL WIDTH

NOVA
NOCE




DESIGN CODE: FLP509

RECOMMENDED ACCESSORY CODE:
AR101



PLANK LAYOUT





GREEN
FLOORMAX[™]
WOOD FLOORS



ACTUAL WIDTH


CRESCENT MOONLIGHT



DESIGN CODE: FLP510

RECOMMENDED ACCESSORY CODE:
AR106

PLANK LAYOUT





ACTUAL WIDTH


CROWNING MAPLE



DESIGN CODE: FLP511

RECOMMENDED ACCESSORY CODE:
AR103

PLANK LAYOUT



ACTUAL WIDTH

COFFEE GLORY




DESIGN CODE: FLP512

RECOMMENDED ACCESSORY CODE:
AR104



PLANK LAYOUT





ACTUAL WIDTH


DESERT
SUN



DESIGN CODE: FLP513

RECOMMENDED ACCESSORY CODE:
AR111

PLANK LAYOUT





ACTUAL WIDTH


CITRUS
CEDAR



DESIGN CODE: FLP514

RECOMMENDED ACCESSORY CODE:
AR109

PLANK LAYOUT





ACTUAL WIDTH

**BROWNY
WALNUT**




DESIGN CODE: FLP515

RECOMMENDED ACCESSORY CODE:
AR103



PLANK LAYOUT





GREEN
FLOORMAX[™]
WOOD FLOORS

DESIGN LAYOUT

----- KNOW GREEN FLOORMAX -----

wood floors **BETTER**

LAYERS

.....

TOP LAYER - HIGH ABRASION RESISTANCE OVERLAY

SECOND LAYER - DECORATIVE DESIGN LAYER

MIDDLE LAYER - 100% HARDWOOD HDF CORE

BASE LAYER - MOISTURE RESISTANT BACKING LAYER

STRUCTURE

.....



RANGE

.....

DESIGNS

ALLOVER
PLANKED

TEXTURES

OPEN GRAIN FINISH
CROWN FINISH

THICKNESS

8 MM

GRADES/APPLICATIONS

AC3 [RESIDENTIAL/LIGHT COMMERCIAL]

AC4 [COMMERCIAL SPACE]

----- HOW TO ----- *maintain your* WOOD FLOORS -----

GREEN FLOORMAX WOOD FLOORS ARE EASY TO MAINTAIN AND CLEAN.

THE LAMINATED TOP LAYER ON EACH FLOOR MAKES IT SO MUCH SIMPLER TO KEEP IT SPIC AND SPAN YEAR AFTER YEAR. THESE FLOORS DO NOT NEED ANY SPECIAL CLEANING AGENTS OR METHODS, JUST A SQUEEZED OUT DAMP MOP WILL DO.

IF A PLANK UNDERGOES DAMAGE, YOU DON'T NEED TO WORRY TOO MUCH, JUST REPLACE THAT PARTICULAR PLANK AND YOUR FLOOR IS AS GOOD AS NEW.

FEW THINGS TO KEEP IN MIND WHILE CLEANING GREEN FLOORMAX WOOD FLOORS

SWEEP THE FLOOR USING A STANDARD DUST MOP TO REMOVE DIRT AND DUST. WHEN NECESSARY WIPE THE FLOOR WITH A SQUEEZED OUT DAMP CLOTH, USING ONLY WATER.

...

IN CASE OF SPILLS, JUST WIPE THE FLOOR WITH A DRY CLOTH.

...

DO NOT USE ANY SOAP-BASED DETERGENTS OR HOUSEHOLD CLEANERS TO CLEAN THE FLOOR.

...

THE SURFACE OF YOUR WOODEN FLOORING REQUIRES NO ADDITIONAL TREATMENT. NO NEED TO USE WAX, POLISH, OIL OR VARNISH ON THE FLOOR.

...

DO NOT USE ANY TYPE OF ABRASIVE CLEANERS OR STEEL WOOL WHICH MAY DAMAGE YOUR FLOOR.

...

USE FELT PADS/RUBBER FEET UNDER FURNITURE LEGS TO AVOID SCRATCHING AND DO NOT DRAG WHEN MOVING FURNITURE.

...

ENTRY MATS WILL HELP IN COLLECTING SAND, DIRT, GRIT AND OTHER SUBSTANCES, THAT MAY OTHERWISE HARM YOUR FLOOR.

THE BEST *accessories* TO GO WITH

ADD THE PERFECT FINISHING TOUCH WITH GREEN FLOORMAX SKIRTING AND PROFILES.
TO COMPLETE THE LOOK OF YOUR STUNNING WOOD FLOOR, YOU CAN CHOOSE FROM A WIDE RANGE OF
DESIGNS THAT MATCH EVERY FLOOR AND STYLE.

SKIRTING



PROVIDES FINISH TO THE
WOOD FLOORS BY CLADDING
THE LOWER PART OF THE
ADJOINING WALLS.

WALL-----



BASE FLOOR-----


--- GREEN FLOORMAX WOOD FLOOR

STAIR NOSE



COVERS THE OPEN EDGES
OF THE WOOD FLOOR PLANKS
AND PROVIDES A SEAMLESS
TRANSITION BETWEEN THE
HORIZONTAL AND VERTICAL
SECTIONS OF THE STAIRCASE.

GREEN FLOORMAX WOOD FLOOR



BASE FLOOR-----


--- GREEN FLOORMAX WOOD FLOOR

T PROFILE



CONNECTS TWO
SECTIONS OF THE WOOD
FLOOR AT THE SAME
HEIGHT.

GREEN FLOORMAX WOOD FLOOR




BASE FLOOR

REDUCER



PROVIDES A SMOOTH
TRANSITION FROM THE
WOOD FLOOR TO A LOWER
SURFACE SUCH AS TILED
FLOOR OR CARPET.

GREEN FLOORMAX WOOD FLOOR




BASE FLOOR

BEADING



CREATES A BORDER
BETWEEN THE WOOD FLOOR
AND ADJOINING WALLS.
CAN BE USED AS AN
ALTERNATE TO SKIRTING
WHERE SKIRTING OR
BEADING IS NOT USED.

WALL



BASE FLOOR

GREEN FLOORMAX WOOD FLOOR

.....
ACCESSORY DESIGNS
.....



ACCESSORY DESIGN CODE: AR101



ACCESSORY DESIGN CODE: AR102



ACCESSORY DESIGN CODE: AR103



ACCESSORY DESIGN CODE: AR104



ACCESSORY DESIGN CODE: AR105



ACCESSORY DESIGN CODE: AR106



ACCESSORY DESIGN CODE: AR107



ACCESSORY DESIGN CODE: AR108



ACCESSORY DESIGN CODE: AR109



ACCESSORY DESIGN CODE: AR110



ACCESSORY DESIGN CODE: AR111



ACCESSORY DESIGN CODE: AR112



ACCESSORY DESIGN CODE: AR113

.....
RECOMMENDED ACCESSORY DESIGNS

ALLOVER DESIGNS

SR NO.	GREEN FLOORMAX DESIGN CODE	GREEN FLOORMAX DESIGN NAME	RECOMMENDED ACCESSORIES CODE
1	FL001	SILVER SAVANNAH	AR 106
2	FL002	TOPAZ OAK	AR 112
3	FL003	TIMBER TRAIL	AR 103
4	FL004	CLASSIC OAK	AR 101
5	FL005	KALAHARI OAK	AR 101
6	FL006	VINTAGE OAK	AR 104
7	FL007	LUSCIOUS NOUGAT	AR 104
8	FL008	WINEWOOD OAK	AR 105
9	FL009	COUNTRY OAK	AR 104
10	FL010	AUTUMN WALNUT	AR 108
11	FL011	HIMALAYAN MERBAU	AR 107
12	FL012	SILVER STREAKS	AR 104
13	FL013	EARTHEN APPLE	AR 103
14	FL014	AMAZON WALNUT	AR 102
15	FL015	CHOCOLATE CARAMEL	AR 108
16	FL016	VERMILLION FIRE	AR 103
17	FL017	TROPICAL WALNUT	AR 103
18	FL018	SERENE SEPIA	AR 105
19	FL019	SUNDERBAN WENGE	AR 102
20	FL020	EARTHEN CHERRY	AR 113
21	FL021	AFRICAN IVORY	AR 104
22	FL022	PLUSH WALNUT	AR 103
23	FL023	RUSSIAN RIPPLES	AR 101
24	FL024	SHERWOOD DOZUKI	AR 103

PLANKED DESIGNS

SR NO.	GREEN FLOORMAX DESIGN CODE	GREEN FLOORMAX DESIGN NAME	RECOMMENDED ACCESSORIES CODE
25	FLP502	CHERRY BRÛLÉE	AR 110
26	FLP503	SERENGETI SHADOW	AR 107
27	FLP504	TAVERN TRAILS	AR 101
28	FLP505	ANTIQUE CADBURY	AR 103
29	FLP506	SEPIA TEAK	AR 107
30	FLP507	MYSTIQUE OAK	AR 106
31	FLP508	SAHARA GOLD	AR 105
32	FLP509	NOVA NOCE	AR 101
33	FLP510	CRESCENT MOONLIGHT	AR 106
34	FLP511	CROWNING MAPLE	AR 103
35	FLP512	COFFEE GLORY	AR 104
36	FLP513	DESERT SUN	AR 111
37	FLP514	CITRUS CEDAR	AR 109
38	FLP515	BROWNY WALNUT	AR 103

.....
CERTIFICATE OF INTERLOCK LICENCE
.....



FLOORING INDUSTRIES Ltd/Sarl

10b rue des Mérovingiens
Zone Industrielle Bourmicht
8070 Bertrange
Luxembourg
T +352 27 00 41 81
F +352 27 00 41 90
luxinfo@unilin.com
www.uniclic.com

Bertrange, 5 March 2014

TO WHOM IT MAY CONCERN

CERTIFICATE OF LICENSE

Flooring Industries, the intellectual property company of the Unilin group, hereby confirms that, at the date of this letter, the company:

GREENPLY INDUSTRIES LIMITED

Unit 2, Plot No.2, Sector 9, IIE, Sidcul Industrial Area, Pantnagar, Rudrapur – 263153, Uttarakhand,
India

has a license on certain patents owned by the Unilin Group and therefore has the right to manufacture and sell certain glueless laminate and veneer flooring products used under the conditions of this license agreement.

A handwritten signature in blue ink, appearing to be "PO", is written over a faint, circular, dotted background.

Legal Department
Flooring Industries





GREEN PANELMAX IS PRODUCED FROM 100% RENEWABLE & SUSTAINABLE WOOD RESOURCES SOURCED FROM AGROFORESTRY PLANTATION TREES, WHICH HAVE A LIFE CYCLE OF 4 YEARS AND CAUSE NO DEPLETION OF FOREST COVER AREA.



REGISTERED OFFICE: MAKUM ROAD, TINSUKIA, ASSAM – 786125 | CORPORATE OFFICE: 3RD FLOOR, SECTOR 44, PLOT NO. 68, GURGAON-122003, HARYANA
CORPORATE IDENTITY NUMBER: L20211AS1990PLC003484 | TEL: 0124-4784600 | FAX: 0124-4784699

ENGINEERED PANEL DIVISION: BRANCHES : AHMEDABAD: 079-40093001/2/3/4/5, BANGALORE: 080-22115664, BHUBANESHWAR: 0674-2583231, CHANDIGARH: 0172-6530848, CHENNAI: 044-42822669, COCHIN: 0484-4015151, DELHI: 011-45001300/8527487799, GHAZIABAD: 0120-4117029, GUWAHATI: 0361-2734691, HALDWANI: 9005090980, HYDERABAD: 040-64619444, INDORE: 0731-4299005, JAIPUR: 9829061474, KOLKATA: 033-30515000, LUCKNOW: 0522-4000474, MUMBAI: 022-26108400/01, NAGPUR: 0712-2421129/2420607, PATNA: 0612-2322464/0612-3260812, PUNE: 9730095551, RAIPUR: 0771-4089557, Ranchi: 9934011690

E-MAIL: INFO.FLOORMAX@GREENPLY.COM | WEBSITE: WWW.GREENFLOORMAX.COM | TOLL FREE NO.: 1800-102-2999 (MONDAY-FRIDAY; EXCEPT HOLIDAYS; 9.30AM-5.30PM)