



General Catalogue



mood. Welcome to the world of **Luxor®** ! A stunning range of solid surfaces in powerful, intense colours that when applied into interiors will not only give it your personal touch but will also reflect your personality, your taste and even your attitude towards life. Explore our range and discover what the power of **Luxor®** uni-colours can do to your interiors.





People, Ideas, Inventions. The ability to think outside the box, innovating from matter, without suffering from the constraints of consolidated practices. This is how new paradigms are born: reference models and benchmarks which become a model, offering new solutions.


We started from a profound knowledge of the methods, techniques and products to identify new paths. Knowledge gained in over 18 years of the group, which has always stood out for its ability to innovate production technologies, process, products In solid surface industry.

Durlax was founded in 2010. Our origin is the patent for the production technology for manufacturing solid surface sheets. From here, We began to imagine new and innovative uses for this material, exploiting its potential to the full, both in the conventional fields of application such as architecture and indoor and outdoor.

Today Durlax produces Luxor 100% Acrylic Premium UV Solid Surface Sheets & Aspron Modified Solid Surface Sheets used in many applications in traditional and advanced architecture, furnishing and design.



100% ARCYLIC PREMIUM UV SOLID SURFACE



Luxor® solid surfaces for active homes. Lively, colourful and worry-free - Beauty that goes beyond mere looks and stands the test of time.

Highly practical, impervious to stains and moisture, seamless and malleable, Luxor® solid surfaces are ideal for any room of the home. What's more the striking colours of Luxor® are sure to bring unprecedented elegance to your home.

Residential

08

Commercial

18

Hospitality

28

Healthcare

30

Exteriors

32

Residential



Luxor® solid surfaces for active homes. Lively, colourful and worry-free - Beauty that goes beyond mere looks and stands the test of time.

Highly practical, impervious to stains and moisture, seamless and malleable, Luxor® solid surfaces are ideal for any room of the home. What's more the striking colours of Luxor® are sure to bring unprecedented elegance to your home.





Vanity

Vanity Counter

Wall Cladding

Shower Cubical

Bath Tub

Vanity Furniture

Door Jams & Window Sills


Mirror Frames

Washroom Partitions














Kitchen Counter Top
Back Splash with Coving
Dado Wall
Sink Bowls
Kitchen Island Top
Serving Counter
Kitchen Shutters
Chopping Board
Dust Bin



Commercial



Let your projects flaunt class.

Luxor's lively, consistent colours work wonders for commercial areas.

Stylish, funky, warm, welcoming – Luxor® enables you to create an ambience of your choice.

Appearance aside, Luxor's unmatched functionality is truly awe-inspiring. It's ability to be carved, routed, thermoformed into mouldings and even to be back lighted, provides virtually limitless freedom to the designers.

Extremely durable, wear resistant and easy to maintain, Luxor® goes beyond countertops to give creative dimension to your projects.



Reception Desk

Wall Partition

Featured/Designer Wall

Column Cladding


Airline Check in Counters

Display Boxes

Dust Bin

Seating's in the Lounge Area

Working Counters







Lift Lobby Cladding

Luggage Racks

Food Court Areas


Planters

Urinal Partition

Conference Table

Signage

Handrail







SJ F

Furnishings



Hospitality



Let the first impression be the lasting one.

Hotel reception, pub, restaurants are the most demanding areas where easy maintenance is just as important as an appearance. Highly durable, aesthetically appealing and easy to care for, Luxor® passes the test with flying colours. Luxor® exudes unusual warmth and character and is sure to create pleasing and welcoming atmosphere.











Healthcare



What makes Luxor ideal for healthcare industry?

Hygienic and germ-free environment is the prime concern in hospitals and consulting rooms. Being totally non-porous and seamless Luxor® doesn't harbour pathogens and thus it inhibits bacterial growth in wall claddings, ceilings and counter surfaces, ensuring infection-free environment. Its ability to be thermoformed ensures laminar air circulation in the hygienically critical areas such as operation theatre. Luxor® survives impacts and spillages and keeps its good looks intact for years. Moreover, its beautiful, seamless finish and pleasing colours such as Mint Ice, Sky Blue and Vanilla, create soothing and cheerful atmosphere for patients.

OT Wall Cladding

O T Ceiling

OT Door Jams

Scrub Vanities

Vanity Counters

Baby Bath


Nurses Counter

Laboratory Tops

Hygiene Surfaces

Crash Guards

Storage Racks



Luxor® MediScrub, Surgical Scrub Vanities.

Luxor® Solid Surfaces are also used in special surgical scrub vanities - MediScrubs, developed for surgeons to help them maintain hygiene post surgery. Ergonomically designed MediScrub vanities make the sterilisation process convenient and consistent. The sloping bottom surface of MediScrub minimises splashing of water. MediScrub vanities come in both wall mounted and floor mounted designs and allow customisation of sizes and colours.

Exteriors



Exterior Extravaganza

Seamless, malleable, weather proof and versatile, Luxor® solid surfaces easily take shape of your imagination. And with wide range of colours to choose from, Luxor® opens up a whole new world of possibilities. Luxor® simply lets your projects make a style statement of their own.





Facades

Showroom Fit-outs

Outdoor Furniture

Signages

Planters


Exterior Ceilings

Balcony & Staircase Railings

and many more









Use and care guidelines



Living with Luxor®

Use and care guidelines

Cleaning kitchen countertops and other Luxor® surfaces.

Luxor® is a durable and repairable product that will last for many years with simple care. Follow these instructions to preserve your Luxor® solid surface products.

1. Everyday Care

General cleaning of your Luxor® solid surfaces can be done by wiping the surface with a damp cloth or sponge, then dry with soft cloth or paper towels to prevent spotting; especially in areas with hard water.

2. Basic Stains

Clean with an ammonia-based product such as household glass cleaner or commercially available non-abrasive spray-on cleaners for solid surface products. Wipe dry with a soft cloth or paper towels to prevent spotting.

3. Stubborn Stain and Minor Scratches

There are over 60 colors available in Luxor® and each color can be supplied with a different type of finish by a Luxor® certified fabricator / installer. Dark colors in countertop surfaces and particularly dark colors that have been finished to a gloss, like anything else, will potentially show signs of use, such as scratches and soap residue, more readily than light colored solid surface materials. Therefore, gloss finish generally requires additional maintenance and care to retain its original luster.

Different cleaning techniques are required to remove stubborn stains and minor scratches depending on the type of finish and color as detailed in the following instructions: (Note: please contact your certified fabricator/ installer if you are uncertain which type of finish is applied to your Luxor® solid surfaces). DO NOT attempt to repair deep scratches, chips or burns, contact a certified Luxor® fabricator / installer.

- **Matt Finish** is the standard finish delivered by your certified fabricator / installer. It is a low or no-sheen finish and is recommended in all high-use areas.

- . Scrub in a small circular motion with a wet sponge and an abrasive cleanser such as Soft Scrub®.
- . Darker colors tend to require more attention than lighter colors.

- **Satin Finish** has a slightly higher sheen than matt and requires more attention depending on frequency of use and area of application.

- . Lightly scrub surface in a small circular motion with a wet sponge and an

abrasive cleanser such as Soft Scrub® over stain or scratch.

. Darker Colors:

- Darker Colors tend to require more attention than lighter colors.
- Scrubbing too aggressively may actually reduce the gloss level.

- **Gloss Finish** is a higher and reflective sheen that requires additional care and maintenance. It is important to note that a gloss finish, especially on a dark color, will require more care than a Matt/Satin finish. Therefore, be sure not to apply the same method or process recommended for a Matt / Satin finish when caring for a Gloss finish. Repeat the procedure shown below - If stain persists, contact your certified fabricator/installer for assistance. DO NOT USE ABRASIVE CLEANSERS AND PADS OF ANY TYPE ON A GLOSS FINISH: PLEASE CONTACT YOUR LUXOR® RETAILER/DEALER FOR MORE INFORMATION.

- . Spray a non-abrasive product such as Mr. Muscle over stain and wait for a couple of minutes.
- Then, scrub in a small circular motion circular motion with a wet sponge.

. Darker Colors:

- Darker Colors tend to require more attention than lighter colors.
- Scrubbing too aggressively may actually reduce the gloss level.
- Do not use abrasive cleansers, pads or steel wool...

After completing the above procedure, rinse with clear water and wipe dry a soft cloth or paper towels to prevent spotting. To enhance the visual color clarity and hide minor scuffs, apply Countertop Magic cleanser (available at any hardware store or supermarket) and wipe away excess with a soft cloth.

4. Preventing Damage

Minor damage that may accidentally occur is most often repairable by a Luxor® certified fabricator/installer or repair expert. However, be sure follow these guidelines to prevent damage to your Luxor® surface.

- Heat:

Luxor® solid surfaces have excellent heat resistant properties compared to other countertop materials. However, placing hot pans, as well as some heat-generating appliances such as electric grills or deep-fryers, can damage the surface. Always use a hot pad or a trivet with rubber feet to protect Luxor®. Avoid subjecting Luxor® solid surfaces to extreme hot temperatures.

- Chemical:

Avoid exposing Luxor® solid surfaces to strong chemicals such as paint removers, acetone, and oven cleaners. Surfaces exposed to these chemicals should be promptly flushed with water; contact may cause spots that may require extensive repairs. Remove nail polish with a non-acetone-based nail polish remover and flush with water.

- Scratches:

Never cut or chop directly on a Luxor® solid surfaces, always use a cutting / chopping board.

- Fractures:

Avoid standing on counter tops or dropping heavy objects on the surface.

- Note:

Gloss reduction, scratching, and staining on solid surface incurred over time due to use is NOT a manufacturing defect but is considered normal wear and tear - The forgoing is NOT covered under the Luxor® Limited Warranty. However, the countertop can be re-sanded and refinished periodically if you so choose-you will be charged the standard hourly service rate. If your Luxor® product is accidentally nicked or deeply scratched, please contact your retailer/dealer or Luxor® certified fabricator/installer for advice about the most effective method of repair - most repairs are relatively quick and simple when performed by an experienced professional (service charge may apply).

For more detailed information, please contact your Luxor® dealer or visit us at www.durlax.com.

Use of certain names is intended only to show of a type off cleaning product. This does not constitute an endorsement or support for that product. Nor does the exclusion of any certain name product imply its insufficiency.



Technical Specification LUXOR[®]

PHYSICAL PROPERTIES			
PROPERTY	FUNCTION INDEX SIGN	UNIT	TEST METHOD
Density	1.5 - 1.8	kg/dm ³	DIN 52 102
Mass	16	kg/m ²	
Barcol Hardness	55-70		DIN 68 861
Tensile Strength	25-60	N/mm ²	DIN EN ISO 527
Flextural Strength	30-60	N/mm ²	EN 310
Modulus Elasticity	5000 - 9000	N/mm ²	EN 310
Ball Drop	170 - 280	N/mm ²	DIN ISO 2039
Impact Strength	1.5 - 6.5	kJ/m ²	DIN EN ISO 179
Long/thermal Expansion	3.5 x 10 ⁻⁵	m/m ⁰ K	DIN 53 752
Water Absorption	<0.04	%(mass)	DIN 53 495/ASTMD 570
Light Fastness	Blue scale 5-7, Grey scale 4-5		DIN EN ISO 4892
Fungi and Bacteria	No infestation		ISO 846 A/C
Calolitic Value	Ca. 10	MJ/kg	DIN 51 900
Fire Behaviour	B2		DIN EN 13501-1
Chemical Resistant	1B		DIN 68 861-1

Remarks :

DIN: National German standard (Deutsches für Normung).

DIN ISO: National German issue of an unmodified, adopted ISO standard.

DIN EN ISO: National German issue of an unchanged EN standard adopted by ISO.

EN: European Norm (CEN = Comité Européen de Normalisation)

All the Luxor™ product series have passed the tests conducted by the State Building Material Testing Center and the State Chemical Building Material Testing Centre.

PRODUCT SPECIFICATIONS			
SERIES	THICKNESS	WIDTH	LENGTH
	mm	mm	mm
WHITES	6	760	2440
	9	760	2440
	12	760	2440/3660
PEARL	6	760	2440
	12	760	2440/3660
CRAYONS	6	760	2440
	12	760	2440/3660
ASPEON	6	760	2440
	12	760	2440/3660
PEBBLON	6	760	2440
	12	760	2440/3660
NEON	6	760	2440
	12	760	2440/3660
ELION	6	760	2440
	12	760	2440/3660
FLUORON	6	760	2440
	12	760	2440/3660
MEDI	6	760	2440
	9	760	2440
	12	760	2440/3660

Standard offering of all colors thickness are 6mm, 9mm & 12mm, but in case of special requirement colors can also be available in 3mm, 19mm & 24mm thickness.

Whites

PURE WHITE
PW 101

I WHITE
IW 118

ABSOLUTE WHITE
AB 007

Medi

MEDI BLUE
MB* 130

Fluoron

FLUORO GREEN
FG 142

FLUORANGE
FO 143

CRIMSON RED
CR 144

Neons

MINT ICE
MI 108

SKY LITE
SL 109

RUBY
RU 110

LIME ICE
LI 111

GLACIER ICE
GL 124

Crayons

VANILLA
VN 102

SUNFLOWER
SF 121

RED HOT
RH 103


Printed representation of colours may vary from actual samples: Please view actual sample prior to selection.

Crayon and Neon series colors might show hairline seam
Please check actual sample for selection.


Crayons		Crayons	
STEEL ST 104		STRAWBERRY WINE SW 128	
CLARET CL 105		CHARCOAL CH 129	
MARINE BLUE MB 106		CONCRETE GREY CG-149	
COFFEE BEAN CB 107		CAFÉ ARISTA CA 150	
BLACK BIRD BB 119		MISTY GREY MG 151	
SPRING GREEN SG 120		FRENCH VANILLA FV 152	
KHAKHI KH 126		TORRENTE CHERRY TC 162	
PURPLE HEART PH 127		CALIFORNIA ORANGE CO 153	

Aspeon

ASPEON CREAM
AC 015




ASPEON GREY
AG 016




ASPEON DARK
AB 017




RICE PAPER
RP 122



RAFFIA
RF 132



SNOW FLAKES
SF 145



ASPEON CLAY
AC 159



LINEN
LN 160



Elion

SAGEBRUSH
SB 138



SONORA
SR 139



CONCRETE
CT 140



Pearl


AMOR
AR 131



MOTHER OF PEARL
MP 137




VENERO WHITE
VW 146



GLITTERING BLACK
GB 147



GLITTERING GREY
GG 148




SILVERITE
SV 161




* Printed representation of colours may vary from actual samples:
Please view actual sample prior to selection.


Pebblon




PEBBLON WHITE
PW 113



PEBBLON GLOD
PG 114




PEBBLON COCOA
PC 112




PEBBLON SPINEL
PS 123



PEBBLON BIRCH
PB 125




LECHE
LE 133



TUMBLED GLASS
TG 134



GRAVEL
GR 135




SPARROW FEATHER
SF 136



ABALONE
AB 137




FOSSIL
FS 141



RED WALNUT
RW 154



GREY WALNUT
GW 155




PEBBLON LAGOON
PL 156



PARTY
PP 157



DOVE
DV 158



WHISPER
WS 163

Quality certifications

Certification

A brand recognized for top quality and technology.

- GREENGUARD Eco-certification
- ISO 9001 System Certification
 - LGA Tested Quality
- ISO 14001 System Certification
 - NSF Certification
 - Certified Green
 - ISSFA Certification
- SGS ISO 9001:2000 System Certification



* Applied for.

Disclaimer: The information contained herein is provided by Durlax™ India Pvt. Ltd. and its subsidiaries and affiliates (collectively referred to as "Durlax") for information purpose only and should be used by individuals with technical experience and knowledge in the area. Durlax does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions.

Colors shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect an actual sample before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specifications without prior notice.

Sometimes, variations in shade may occur which is inherent to the solid surface industry.

Although every effort is made to ascertain that all the information provided in this catalogue is accurate before printing, errors may still happen. Please contact the local branch office/channel partner for updated information before placing orders. The information contained in this catalogue is given in good faith. The Company takes no liability on account of any loss or damage either consequential or otherwise as a result of the information provided therein.



Durlax India Pvt. Ltd.

Head Office:

9th Floor, Lotus Corporate Park,
Graham Firth Steel Compound,
Opp. W. E. Highway,
Goregaon East Mumbai 400063

Tel No: +91-22-61560000

Toll Free: 1800 4193334

E-mail: info@durlax.com

Plant Address:

Vapi 396193 Gujarat India

www.durlax.com

